## COVID-19 INTERIM EXCLUSION GUIDANCE<sup>1</sup>

Decision Tree for Symptomatic Individuals in Pre-K, K-12 Schools and Day Care Programs



<u>Send home or deny entry (and provide remote instruction)</u> if **ANY** of the following symptoms<sup>2</sup> are present: Fever (100.4°F or higher), new onset of moderate to severe headache, shortness of breath, new cough, sore throat, vomiting, diarrhea,

new loss of sense of taste or smell, fatigue from unknown cause, muscle or body aches from unknown cause.

### Medical Evaluation and Testing are Strongly Recommended for ALL Persons with COVID-Like Symptoms.

Status	Evaluated by Healthcare Provider	Return to School Guidance (For vaccinated persons, see Post Vaccination Guidance)	Quarantine for Close Contacts?	Documentation Required to Return to School
A. COVID-19 diagnostic test Positive (confirmed case) OR COVID-like symptoms without COVID-19 testing and exposed to confirmed case (probable case)	YES / NO	Stay home at least ten <sup>3</sup> calendar days from onset of symptoms <b>AND</b> for 24 hours with no fever (without fever-reducing medication) <b>AND</b> improvement of symptoms.	YES	Release from Isolation letter (if received from their LHD) provided by the parent/guardian or staff person, notification via phone, secure email or fax from the LHD to the school, OR other process implemented by your LHD
B. Symptomatic individual with a negative COVID- 19 diagnostic test  Negative COVID-19 diagnostic tests are valid only for the date on which they are collected; specimens collected 48 hours prior to symptom onset, after symptom onset, or while symptoms are present are acceptable for determining school exclusion status.	YES / NO	Stay home until symptoms have improved/resolved per return-to-school criteria for diagnosed condition <sup>4</sup> . Follow provider directions, recommended treatment & return to school guidance as per school policies and IDPH Communicable Diseases in Schools.	NO	If staff/student is a close contact to a confirmed case, the school is experiencing an outbreak, or the LHD is requiring validation due to community transmission levels, documentation of a negative laboratory-based confirmatory SARS-CoV-2 NAAT result is needed (see CDC Testing Algorithm). In other situations, a negative RT-PCR, rapid molecular (rapid PCR) or negative antigen test is acceptable.
C. Symptomatic individual with an alternative diagnosis without a negative COVID-19 diagnostic test	YES	Stay home until symptoms have improved/resolved per return-to-school criteria for diagnosed condition <sup>4</sup> .  Follow provider directions, recommended treatment & return to school guidance as per school policies and IDPH Communicable Diseases in Schools.	NO	If testing is not performed due to the clinical judgment of the healthcare provider, a medical note is needed to return to school/day care documenting that there is no clinical suspicion for COVID-19 infection and indicate an alternative diagnosis with exclusion consistent with this diagnosis
D. Symptomatic individual without diagnostic testing or clinical evaluation Individuals may move to Columns A, B, or C based on results of diagnostic testing and/or clinical evaluation.	NO	Stay home at least ten <sup>3</sup> calendar days from onset of symptoms <b>AND</b> for 24 hours with no fever (without fever-reducing medication) <b>AND</b> improvement of symptoms.	Household Member (e.g., Siblings, Parent) <sup>5</sup>	After the ten-day exclusion, a note from parent/guardian documenting that the ill student and/or household contacts are afebrile without fever-reducing medication and symptoms have improved.
E. Asymptomatic individual who is a close contact <sup>6</sup> to a confirmed or probable COVID-19 case	NO	Unless fully vaccinated, stay home for 7-14 calendar days <sup>7,8</sup> after last exposure to the COVID-19 case. Local health departments must authorize early release from quarantine. If COVID-19 illness develops, use the ten-day isolation period <sup>3</sup> guidance for a COVID-19 case from the onset date. Testing is recommended.	NA	Release from Quarantine letter (if received from their LHD) and negative PCR lab result if applicable <sup>7,8</sup> provided by the parent/guardian or staff member, LHD notification via phone, secure email or fax to the school OR other process implemented by your LHD

<sup>1</sup> Based on available data and science, schools must make local decisions informed by local context in consultation with their local public health department. This chart should be used in conjunction with the Public Health Interim Guidance for Pre-K-12 Schools and Day Care Programs 1 for Addressing COVID-19.

Rev. 5/4/2021 Interim Guidance, Subject to updates

<sup>2</sup> New onset of a symptom not attributed to allergies or a pre-existing condition.

<sup>3</sup> Severely immunocompromised or severely ill: may need to isolate for 20 days as per guidance from the individual's infectious disease physician.

<sup>4</sup> If the individual has been identified by public health for quarantine or knows they are a close contact to a case, the quarantine period must be completed.

<sup>5</sup> Consider quarantine for other close contacts if there was poor adherence to social distancing or use of face coverings.

<sup>6</sup> Contacts to close contacts of a case do not need to be excluded unless the close contact becomes a confirmed or probable case.

<sup>7</sup> Quarantine options: Complete a. 14 days, OR b. 10 days with no symptoms, OR c –for ADULT STAFF ONLY: 7 days with no symptoms and a negative SARS-COV-2 RT-PCR test. Specimen for testing must obtained within 48 hours of Day 7. Last exposure date = Day 0. See https://www.cdc.gov/coronavirus/2019-ncov/more/scientific-brief-options-to-reduce-quarantine.html 8 Molecular testing (PCR) is recommended for individuals ending quarantine at Day 10 after exposure; may be required by LHD.



# JOPH Supplemental Guidance: Considerations for School Nurses and Healthcare Providers

Guidance, Subject to Interim updates 5/4/2021

## Box A. Assessment of Symptomatic Persons

Consider the following when assessing symptomatic students/staff: Are symptoms new to the student/staff person or are they a change in baseline for that individual?

Does the symptomatic individual have any of the following potential exposure risks? Did the student/staff have an exposure to a suspected or confirmed COVID-19 case in the past 14 days? Is there a household or other close contact with similar symptoms who has not been yet classified as a confirmed or probable case?

Is there a household member or other close contact with high-exposure risk occupation or activities (e.g. HCW, correctional worker, other congregate living setting worker or visitor)?

school activities (private parties, playing with friend groups, etc.) or have Did the student/staff member have potential exposure due to out-ofpoor compliance with mask wearing and social distancing?

Do they live in an area of moderate or high community transmission? as defined in the Adaptive Pause Metrics guidance Do they have a history of travel to an area of high transmission in previous 14 days? Is there an outbreak in the school or has there been another known case of COVID-19 in the school building in the last 14 days or are there other students or staff in the classroom or cohort currently out with COVID-19 symptoms?

## Box B. Clinical Evaluation for Children with Symptoms of

(https://www.cdc.gov/coronavirus/2019-ncov/hcp/pediatric-hcp.html)

Consider the individual's risk of exposure. See Box A.

No Exposure Risk Identified & resides in County with Minimal County Transmission

Has Exposure Risk and/or Clinical Suspicion for COVID-19

COVID-19 Testing Recommended Isolation

> If no known close contact to COVID-19 case and no other

## TESTING

be considered based on level exclusion for COVID-19 may exposure risks, testing and

of clinical suspicion and

testing availability.

PCR or antigen (Ag) testing is acceptable.

-If an Ag detection test is negative suspicion of COVID-19, confirm with lab-based NAAT) (see and there is a high clinical

Column B, pg. 1), ideally within 2 If lab-based confirmatory NAAT testing is not available, clinical days of the initial Ag test. discretion can be used to

and exclusions based should be considered, Alternate diagnoses

Isolate until at least 24 hours fever-free

on usual practice.

Test result is only valid for the day of specimen collection. recommend isolation.

without fever-reducing

medicine)

https://www.isbe.net/Documents/IDPH-Adaptive-Pause-Metrics.pdf and CDC Indicators for Dynamic School Decision-Making available at https://www.cdc.gov/coronavirus/2019-ncov/community/schools-childcare/indicators.html#thresholds <sup>1</sup> Adaptive Pause and Metrics: Interim School Guidance for Local Health Departments. Available at

COVID-19 Testing Overview <a href="https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/testing.html">https://www.cdc.gov/coronavirus/2019-ncov/isymptoms-testing/testing.html</a>
 Isolation and Quarantine: CDC <a href="https://www.cdc.gov/coronavirus/2019-ncov/if-you-are-sick/index.html">https://www.cdc.gov/coronavirus/2019-ncov/if-you-are-sick/index.html</a>